German Quality And Innovation

STIHL

No. 1 Selling Chainsaws Brand Worldwide



The STIHL Network

120+ Importers

20,000+ Employees

55,000+ STIHL Authorized Dealers

42+ STIHL Owned Sales Subsidiaries

6 STIHL MONTHS WARRANTY — For : All electric & battery operated equipment

1 STIHL YEAR WARRANTY — For : All petrol operated equipment & electric vacuum cleaners

2 STIHL YEARS WARRANTY — For : Water pump models - WP 300, WP 600 & WP 900

Chainsaws

Petrol Operated

MS 170

Displacement	Power Output	Weight
30.1cm^3	1.3Kw/1.8hp	3.9Kg*

MS 180

Displacement	Power Output	Weight
31.8cm^3	1.5Kw/2hp	3.9Kg*

MS 194 T

Displacement	Power Output	Weight
31.8cm^3	1.4Kw/1.9hp	3.3Kg*

MS 210

Displacement	Power Output	Weight
35.2cm^3	1.6Kw/2.2hp	4.4Kg*

MS 230

Displacement	Power Output	Weight
40.2cm^3	2.0Kw/2.7hp	4.6Kg*

MS 250

Displacement	Power Output	Weight
45.4cm^3	2.3Kw/3.1hp	4.6Kg*

MS 260

Displacement	Power Output	Weight
50.2cm^3	2.6Kw/3.5hp	4.8Kg*

MS 291

Displacement	Power Output	Weight
55.5cm^3	2.8Kw/3.8hp	5.6Kg*

MS 361

Displacement	Power Output	Weight
59.0cm^3	3.4Kw/4.6hp	5.6Kg*

MS 382

Displacement	Power Output	Weight
72.2cm^3	3.9Kw/5.3hp	6.2Kg*

MS 462

Displacement	Power Output	Weight
72.2cm^3	4.4Kw/6.0hp	6.0Kg*

MS 651

Displacement	Power Output	Weight
91.1cm^3	5.0Kw/6.8hp	7.4Kg*

* Dry Weight

Petrol Operated

MS 661

Displacement	Power Output	Weight
91.1cm^3	5.4Kw/7.3hp	7.4Kg*

MS 880 / MS 881

Displacement	Power Output	Weight
121.6cm^3	6.4Kw/8.7hp	9.8Kg*

Electric Operated

MSE 141

Rated Voltage	Power Output	Weight
230V	1.4Kw	3.6Kg*

MSE 170

Rated Voltage	Power Output	Weight
230V	1.7Kw	3.8Kg*

MSE 190

Rated Voltage	Power Output	Weight
230V	1.9Kw	3.8Kg*

MSE 210

Rated Voltage	Power Output	Weight
230V	2.1Kw	4.0Kg*

MSE 230

Rated Voltage	Power Output	Weight
230V	2.3Kw	4.1Kg*

MSE 250

Rated Voltage	Power Output	Weight
230V	2.5Kw	4.6Kg*

Battery Operated

MSA 60

COMING SOON

Battery	Battery Running Time	Weight
AK 20	up to 40 min	2.3Kg*

MSA 70

COMING SOON

Battery	Battery Running Time	Weight
AP 300	up to 50 min	2.7Kg*

MSA 160

Battery	Battery Running Time	Weight
AP 300	up to 50 min	2.7Kg*

MSA 200

Battery	Battery Running Time	Weight
AP 300	up to 45 min	2.9Kg*

* Dry Weight

Brushcutters

Petrol Operated

FS 55
Displacement 27.2cm³
Power Output Time 0.75Kw/0.9hp
Weight 5.0Kg*

FS 3001
Displacement 25.4cm³
Power Output Time 0.97Kw/1.3hp
Weight 5.6Kg*

FS 120
Displacement 30.8cm³
Power Output Time 1.3Kw/1.8hp
Weight 6.3Kg*

FS 230
Displacement 40.2cm³
Power Output Time 1.55Kw/2.1hp
Weight 7.5Kg*

FS 230 with Cruise Control
Displacement 40.2cm³
Power Output Time 1.55Kw/2.1hp
Weight 7.1Kg*

FS 250
Displacement 40.2cm³
Power Output Time 1.6Kw/2.2hp
Weight 6.3Kg*

FS 350
Displacement 40.2cm³
Power Output Time 1.60Kw/2.2hp
Weight 7.3Kg*

FS 380
Displacement 40.2cm³
Power Output Time 2.0Kw/2.7hp
Weight 7.3Kg*

FS 410
Displacement 40.2cm³
Power Output Time 1.9Kw/2.6hp
Weight 8Kg*

FS 460
Displacement 44.3cm³
Power Output Time 2.1Kw/2.9hp
Weight 8Kg*

Cutting Tools

2-Teeth grass cutting blade

AutoCut mowing head

Brush Knife

4-teeth grass cutting blade

Circular Saw blade, scratcher tooth

Circular Saw blade, chisel tooth

Circular Saw blade

Shredder Knife

Nylon trimmer lines

Backpack Brushcutters

Petrol Operated

FR 3001
Displacement 30.5cm³
Power Output Time 0.81Kw/1.1hp
Weight 9.4Kg*

FR 230
Displacement 40.2cm³
Power Output Time 1.55Kw/2.1hp
Weight 10.1Kg*

FR 230 with Cruise Control
Displacement 30.5cm³
Power Output Time 1.55Kw/2.1hp
Weight 10.1Kg*

Tea Pruner

FT 250
Displacement 40.2cm³
Power Output Time 1.6Kw/2.2hp
Weight 6.3Kg*

* Dry Weight

Brushcutters

Petrol Operated

Model	KA 120	KA 250
Displacement	30.8cm^3	40.2cm^3
Power Output	1.3Kw/1.8hp	1.6Kw/2.2hp
Weight	6.3kg*	6.3kg*

KA Multi Tool Attachments

Pick Tine

Bolo Tines

Auto Cut

Brush Knife

Circular Saw Blade

Paddy Harvester Attachment

Paddy Weeder Attachment

Brushcutters

Electric Operated

FSE 52

Rated Voltage
230V
Power Output
500W
Weight
2.2Kg*

FSE 81

Rated Voltage
230V
Power Output
1000W
Weight
4.7Kg*

Battery Operated

FSA 57

Battery
AK 10
Battery Voltage
36V
Battery Running Time
up to 25 min
Weight
2.4Kg*

FSA 130

Battery
AP 300/AP 300S
Battery Voltage
36V
Battery Running Time
up to 70/100min
Weight
4.5Kg*

Power Weeders

Petrol Operated

BC 230

Displacement	40.2cm^3
Power Output	1.55Kw/2.1hp
Cultivation Width	30cm
Cultivation Depth	75mm / 3inch
Weight	20kg*

*Without cutting tool

MH 610

Displacement	212cm^3
Max Power	6.0hp
Drive	Belt Drive
Transmission	Forward 2, Reverse 1
Working Depth	5"
Working Width	78cm/2 ½ft
Fuel Tank Capacity	3.6L
Weight	60kg

MH 710

Displacement	252cm^3
Max Power	7.0hp
Drive	Gear Drive
Transmission	Forward 2, Reverse 1
Working Depth	6"
Working Width	97cm/3ft
Fuel Tank Capacity	3.6L
Weight	101kg

* Dry Weight

Water Pump

Petrol Operated

WP 230

Displacement	40.2cm^3
Power Output	1.55Kw/2.1hp
Weight	11.3kg*
Max. Head	27 meter
Max. Discharge	250 L/min

WP 300

Displacement	212cm^3
Power Output	4.4Kw/6.0hp
Weight	26kg*
Max. Head	33 meter
Max. Discharge	616 L/min

WP 600

Displacement	212cm^3
Power Output	4.4Kw/6.0hp
Weight	29kg*
Max. Head	31 meter
Max. Discharge	1,050 L/min

WP 900

Displacement	252cm^3
Power Output	5.2Kw/7.0hp
Weight	38kg*
Max. Head	34 meter
Max. Discharge	1,567 L/min

Handheld Blowers

Petrol Operated

BG 50

BG 86

Model	Displacement	Weight	Sound Pressure Level*	Sound Power Level*	Vibration Level Right**	Air Throughput ***	Max. Air Throughput ***	Air Speed ****
BG 50	27.2cm^3	3.6Kg*	92dB(A)	105dB(A)	10.5ms^2	700m^3/h	730m^3/h	71m/s
BG 86	27.2cm^3	4.4Kg*	90dB(A)	104dB(A)	2.5ms^2	755m^3/h	810m^3/h	89m/s

Backpack Blowers

Petrol Operated

BR 420

Displacement	56.5cm^3
Weight	9.1Kg*
Max. Air Throughput***	1260m^3/h

BR 550

Displacement	64.8cm^3
Weight	9.9Kg*
Max. Air Throughput***	1490m^3/h

BR 600

Displacement	64.8cm^3
Weight	9.8Kg*
Max. Air Throughput***	1720m^3/h

BR 800

Displacement	79.9cm^3
Weight	11.7Kg*
Max. Air Throughput***	2025m^3/h

* Dry Weight

Mistblowers

Petrol Operated

SR 420

Displacement	Weight
56.5cm^3	11.1Kg*

SR 450

Displacement	Weight
63.3cm^3	12.8Kg*

SR 5600

Displacement	Weight
56.5cm^3	11.2Kg*

Portable Sprayer

Petrol Operated

SG 230

Displacement	40.2cm^3
Power Output	1.55Kw/2.1hp
Volume Flow Rate	12.2Ltr/min
Working Pressure	5-40bar
Weight	13kg*

Handheld Blowers

Electric Operated

BGE 81

Rated Voltage	230V
Power Output	1.4kw
Weight	3.3Kg*
Max. Air Throughput***	750m^3/h
Air Speed****	82m/s

Handheld Blowers

Battery Operated

BGA 60

Battery	Air Speed	Battery Running Time	Weight
AK 30	69m/s	up to 16 min	2.3Kg*

BGA 86

Battery	Air Speed	Battery Running Time	Weight
AP 300	69m/s	up to 21 min	2.8Kg*

BGA 100

Battery	Air Speed	Battery Running Time	Weight
AR 3000	63m/s	up to 395/75 min. (Stage 2/3)	2.5Kg*

BGA 300

Battery	Air Speed	Battery Running Time	Weight
AR 3000	86m/s	up to 140 min	7.4Kg*

Backpack Battery (Li-ion)

AR 2000

Battery AR 2000
Weight 7.8kg
Battery Energy 916wh

AR 3000

Battery AR 3000
Weight 8.1kg
Battery Energy 1148wh

* Dry Weight

High-Pressure Cleaners

Electric Operated

RE 80X RE 80 RE 90

Entry-Level Range

Model	RE 80X	RE 80	RE 90
Max Pressure	120bar	120bar	130bar
Max. Water Throughput	430l/h	430l/h	440l/h
Power Consumption	1.7kw	1.7kw	2.1kw

RE 100 Plus Control RE 105X RE 110 RE 120 RE 120 Plus

Semi - Professional Range

Model	RE 100 Plus Control	RE 105X	RE 110	RE 120	RE 120 Plus
Max Pressure	150bar	150bar	120bar	140bar	140bar
Max. Water Throughput	450l/h	430l/h	440l/h	500l/h	500l/h
Power Consumption	2.1kw	1.7kw	1.7kw	2.1kw	2.1kw

RE 130 Plus RE 140 Plus

Semi - Professional Range

Model	RE 130 Plus	RE 140 Plus
Max Pressure	150bar	180bar
Max. Water Throughput	500l/h	510l/h
Power Consumption	2.3kw	2.5kw

RE 150 RE 272 Plus RE 362 RE 362 Plus RE 462 Plus

Professional Range

Model	RE 150	RE 272 Plus	RE 362	RE 362 Plus	RE 462 Plus
Max Pressure	180bar	200bar	250bar	250bar	250bar
Max. Water Throughput	612l/h	620l/h	1080l/h	1080l/h	1130l/h
Power Consumption	3.0kw	3.0kw	6.5kw	6.5kw	7.4kw

Vacuum Cleaners

Electric Operated

Model	SE 33	SE 62	SE 122
Max. Vacuum	210mbar	210mbar	210mbar
Container Volume	12L	20L	30L
Mains Voltage	230v/50Hz	230v/50Hz	230v/50Hz
Max. Power Consumption	1.4kW	1.4kW	1.5kW
Weight Ready for Operation	5.4kg	7.5kg	12.1kg

ACCESSORIES

Car Set

Wet Vacuuming Set

Coarse Dirt Set

Filter Bag

Extension Tube

* Dry Weight

Vacuum Cleaners

Battery Operated

SEA 20

Model	SEA 20
Battery	AS 2
Running Time	up to 14 min
Weight	1.1Kg*

ACCESSORIES

1 x AS 2 battery

1 x AL 1 charger

1 x Paper filter

1 x Suction brush, width 300 mm

1 x Crevice nozzle, length 300 mm

Set of mini nozzles

Sweeping Machines

Model	KG 770 Manual	KGA 770 Battery
Sweep Width	77cm	77cm
Container Capacity	50L	50L
Weight	13Kg*	13Kg*
For Areas Upto	1500m^2	1500m^2

Battery	Battery Running Time
AP 100	up to 84 min
AP 200	up to 168 min
AP 300	up to 210 min

Hedge Trimmers

Tea Pruner

Petrol Operated

HS 45

Displacement	27.2cm^3
Power Output	0.75Kw/1.0hp
Weight	4.7kg*
Bar Length	45cm

HS 52

Displacement	27.2cm^3
Power Output	0.75Kw/1.0hp
Weight	5kg*
Bar Length	30cm, 60cm

HS 82 R/T **

Displacement	22.7cm^3
Power Output	0.7Kw/1.0hp
Weight	4.9kg*
Bar Length R	60cm
Bar Length T	50cm, 60cm



**Variant R (Cutting)

Wider Tooth Spacing
Gear Transmission Ratio delivers high cutting power

Larger Teeth
For large Volume Pruning & Clearing, heavier Scrub on Large Tough Edges



**Variant T (Trimming)

Narrow Tooth Spacing
Gear Transmission Ratio enables a higher stroke rate

Smaller Teeth
For Perfect Trimming and Contouring

Long Reach Hedge Trimmer

Petrol Operated

HL 94

Displacement	24.1cm^3
Power Output	0.9Kw/1.2hp
Weight	6.1kg*
Total Length	242cm

* Dry Weight

Pole Pruners

Petrol Operated

HT 75

Displacement	25.4cm^3
Power Output	0.95Kw/1.3hp
Weight	6.6kg*
Reach From Ground	5m

Hedge Trimmers

Electric Operated

HSE 42

Rated Voltage	230V
Power Output	420W
Weight	3.0kg*
Total Length	45cm

HSE 52

Rated Voltage	230V
Power Output	460W
Weight	3.1kg*
Total Length	45cm

HSE 71

Rated Voltage	230V
Power Output	600W
Weight	4.1kg*
Total Length	70cm

HSE 81

Rated Voltage	230V
Power Output	650W
Weight	4.1kg*
Total Length	70cm

Handheld Pruner & Shrub Shear

Battery Operated

GTA 26

Voltage	10.8V
Battery Energy	28wh
Battery Running Time	up to 25min
Weight	1.2Kg*

HSA 26

Voltage	10.8V
Battery Energy	28wh
Battery Running Time	up to 110min
Weight	0.8Kg*

Hedge Trimmers

Battery Operated

HSA 50 P

Battery	AK10/20/30
Battery Running Time	up to 50/100 /120 min
Weight	2.9kg*

HSA 66

Battery	AP 100
Battery Running Time	up to 72 min
Weight	3.1kg*

HSA 86

Battery	AP 200
Battery Running Time	up to 144 min
Weight	3.0kg*

* Dry Weight

Long Reach Hedge Trimmer

Battery Operated

HLA 86

Battery	AP 300
Battery Running Time	up to 180min
Weight	4.8kg*
Energy Content	227wh
Total Length	260-330cm

Pole Pruners

Battery Operated

HTA 66

Battery	AP 300
Battery Running Time	up to 55 min
Weight	3.3Kg*
Total Length	240cm
Reach From Ground	3.2m

HTA 86

Battery	AP 300
Battery Running Time	up to 55 min
Weight	4.6Kg*
Total Length	270-390cm
Reach From Ground	5m

Earth Augers

Petrol Operated

BT 131

Displacement	36.3cm^3
Power Output	1.4Kw/1.9hp
Auger Sizes	40mm to 300mm
Weight	10.9kg*

BT 230

Displacement	40.2cm^3
Power Output	1.55Kw/2.1hp
Auger Sizes	100/150/200 /300mm
Weight	10.9kg*

Max. Torque (Nm/RPM) - 1.9/6000

Concrete Cutter

Petrol Operated

GS 461

Displacement	Power Output	Weight	Cutting Depth
76.5cm^3	4.3Kw/5.8hp	7.6Kg*	15.7cm

MultiTools

Petrol Operated

MM 56 - MultiEngine

Working Width 27.2cm
Power Output 0.85Kw/1.2hp
Weight 8.25Kg*

BK-MM Bolo Tines

Working Width 22cm
Weight 2.0Kg*

BK-MM Pick Tines

Working Width 22cm
Weight 2.0Kg*

KB-MM Bristle Brush

Working Width 60cm
Weight 4.2Kg*

MF-MM Dethatcher

Working Width 50cm
Weight 8.3Kg*

RL-MM Aerator

Working Width 20cm
Weight 2.0Kg*

KB-MM Power Brush

Working Width 60cm
Weight 3.7Kg*

FC-MM Edge Trimmer

Weight 0.8Kg*

* Dry Weight

Harvester - Palm Cutter

Petrol Operated

Product	PC 70	PC 75
Displacement	25.4cm^3	25.4cm^3
Power	0.95kw/1.3hp	0.95kw/1.3hp
Weight	6.2Kg	8.4Kg
Reach From Ground	3meter	5.5meter
Standard Length	212cm	212cm/390cm
Cutting Attachment	Chisel / Sickle	Chisel / Sickle

Vacuum Shredders

Petrol Operated

SH 86

Electric Operated

SHE 71

SHE 81

ACCESSORIES

Models	Rated Voltage	Power Output	Displacement	Weight	Sound Pressure Level*	Sound Power Level*	Vibration Level Right**	Air Throughput***
SH 86	-	-	27.2cm^3	5.6Kg*	93 dB(A)	106 dB(A)	2.5/1.9 m/s^2	770m^3/h
SHE 71	230V	1.1kw	-	4.1Kg*	85 dB(A)	101 dB(A)	1.2/0.8 m/s^2	580m^3/h
SHE 81	230V	1.4kw	-	4.4Kg*	88 dB(A)	103 dB(A)	5.6/2.6 m/s^2	650m^3/h

Cut-Off Saws

Petrol Operated

TS 420

Displacement	66.7cm^3
Power Output	3.2kw/4.4hp
Weight	9.6Kg*
Cutting Wheel Dia	300/350mm
Cutting Depth	100/125mm

TS 800

Displacement	98.5cm^3
Power Output	5.0kw/6.8hp
Weight	12.7Kg*
Cutting Wheel Dia	300/350/400mm
Cutting Depth	100/125/145mm

Battery Operated

TSA 230

Weight Without Battery	3.9kg
Battery Running Time (AP300)	18min
Battery Running Time Back Pack (AR 3000)	95min
Cutting Wheel Dia	230mm
Cutting Depth	70mm

* Dry Weight

Lawn Mowers

Petrol Operated

RM 248

Engine Displacement	139
Horse Power	2.8 HP
Cutting Width	18"
Collector Volume	55L

RM 253 T

Engine Displacement	150
Horse Power	3.0HP
Cutting Width	20"
Collector Volume	55L

RM 3 RT

Engine Displacement	166
Horse Power	3.5 HP
Cutting Width	18"
Weight*	30 Kg

Electric Operated

RME 235

Motor Capacity	1200W
Cutting Width	13"
Collector Volume	30L

RME 443

Motor Capacity	1500W
Cutting Width	16"
Collector Volume	55L

** Specifications can change without prior notice.

*Images are used for representative purpose only

Your Nearest Authorized Servicing Dealer

SCAN ME

Call or Whatsapp
90284 11222

STIHL INDIA

info@stihl.in www.stihl.in

German Quality and Innovation